



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**04.10.2001 Bulletin 2001/40**

(51) Int Cl.7: **G06F 17/30**

(21) Application number: **01302730.5**

(22) Date of filing: **23.03.2001**

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU**  
**MC NL PT SE TR**  
 Designated Extension States:  
**AL LT LV MK RO SI**

(72) Inventors:  
 • Minezaki, Yutaka  
 Mchida-shi, Tokyo (JP)  
 • Azuma, Toshiyuki  
 Zama-shi Kanagawa-ken (JP)

(30) Priority: **28.03.2000 JP 2000089866**

(74) Representative: **Whalley, Kevin**  
**MARKS & CLERK,**  
**57-60 Lincoln's Inn Fields**  
**London WC2A 3LS (GB)**


(71) Applicant: **NISSAN MOTOR COMPANY, LIMITED**  
**Yokohama-shi, Kanagawa 221-0023 (JP)**

(54) **Data display system, data map forming system and data map forming method**

(57) A data display system (10) and a patent map forming system (20) give evaluation values obtained by a predetermined evaluation axis or an arbitrarily set evaluation value in cooperation with each other, and forms a map sheet (MS) on the basis of the evaluation values. The data display system (10) acquires a first-class identification code such as a publication number from a basic data sheet (DS) obtained by listing biblio-

graphical information or the like of a patent input by a spreadsheet software (22) from an input file, and an identification code conversion unit converts (12) the first-class identification code into a second-class identification code. A patent data server (SV) is directly accessed by the second-class identification code to read an abstract, a representative drawing, all documents, drawings, and the like, serving as detailed data, thereby displaying these data on a display (DP).

**FIG.1**



## Description

### BACKGROUND OF THE INVENTION

[0001] The present invention relates to a system for forming a classification map by the values of specific items of a plurality of records having a plurality of items and, more particularly, to a data map forming system and a data map forming method for forming a data map in the form of a matrix depending on the respective values of two specific items and, further more particularly, to a display system for exactly displaying a specific items of specific data on the data map or a specific item of specific data on a basic data sheet.

[0002] In a earlier technique, a spreadsheet software (e.g., 'Excel' available from Microsoft Corporation) installed in a personal computer is used to form a list (file in a list format) by a plurality of records having a plurality of items, so that the characteristics or the like of the records are analyzed.

[0003] As a list for performing such a synthesis, for example, a list of bibliographical items of a plurality of patent records searched and extracted from a database of unexamined patent publications supplied from a memory medium such as a CD-ROM under predetermined conditions is known. The plurality of patent records are rearranged by items such as filing dates, international patent classifications, applicants, and the like of the bibliographical items, and statistics are compiled with respect to the patent records. The patent records are used to examine a technical trend of other companies.

### SUMMARY OF THE INVENTION

[0004] However, such a earlier list has the following problem. That is, patent records to be examined includes various items, e.g., bibliographical items such as a filing date, claims, and a representative drawing. It is difficult in consideration to a file capacity that the list includes all the items. For this reason, evaluation of data cannot be performed on the list without making the operation cumbersome.

[0005] In addition, when specific items such as international patent classifications and applicants are rearranged with respect to the international patent classifications and the applicants, these items are arranged in the alphabetical order or in the order of Japanese syllabary. For this reason, the following problem is posed. That is, when a map having a matrix format is formed on the basis of this order, in order to form a map being in consideration of a frequency, the operation is also cumbersome.

[0006] Furthermore, the following problem is posed. That is, in order to form a patent map while performing technical classification different from the international patent classification or classification or evaluation to respective patent applications with an arbitrary evaluation

measure, there is no tool which easily inputs the classification or the evaluation with reference to summaries, specifications, drawings, and the like as needed.

[0007] It is an object of the present invention to provide a data display system, a data map forming system, and a data map forming method which realize reduction in data evaluation operation to make formation of a data map having a high utility.

[0008] In order to achieve the above object, a data display system according to the present invention comprises: acquiring means for acquiring, from a basic data sheet which can store a plurality of first-class records including, as items, at least one first-class identification code which can be easily or generally understood by a reader or an operator in a list state, items of the first-class identification code; conversion means for converting the acquired first-class identification code into a second-class identification code different from the first-class identification code; and display means for acquiring, from a data server in which a plurality of second-class records including items corresponding to the items of the first-class identification code and a plurality of items related to the items such that the second-class identification code is given to the second-class records, first specific item information of the second-class records identified by the second identification code obtained by the conversion means to display the specific item information.

[0009] In order to achieve the above object, a data display method according to the present invention: acquires, from a basic data sheet which can store a plurality of first-class records including, as items, at least one first-class identification code which can be easily or generally understood by a reader or an operator in a list state, items of the first-class identification code; converts the acquired first-class identification code into a second-class identification code different from the first-class identification code; and acquires, from a data server in which a plurality of second-class records including items corresponding to the items of the first-class identification code and a plurality of items related to the items such that the second-class identification code is given to the second-class records, first specific item information of the second-class records identified by the second identification code obtained by the conversion means; and displays the specific item information.

[0010] In order to achieve the above object, a data map forming system according to the present invention comprises: a basic data sheet which can store a plurality of first-class records including a plurality of different items in a list state; first evaluation item listing setting means for totalizing values of first specific items of the plurality of first-class records on the basic data sheet and arranging the values and first simple codes corresponding to the values in a predetermined arrangement order in such a state that overlapping values of the values are removed to perform listing setting; second evaluation item listing setting means for totalizing values of

second specific items of the plurality of first-class records on the basic data sheet and arranging the values and second simple codes corresponding to the values in a predetermined arrangement order in such a state that overlapping values of the values are removed to perform listing setting; first-classifying means for classifying the plurality of first-class records by the first simple codes corresponding to the values set by the first evaluation item listing setting means on the basis of the values of the first specific items of the first-class records; second classifying means for classifying the plurality of first-class records by the second simple codes corresponding to the values set by the second evaluation item listing setting means on the basis of the values of the second specific items of the first-class records; rearrangement means for rearranging the plurality of first-class records while giving priority to the first simple codes given by the first-classifying means and rearranging the plurality of first-class records by the second simple codes given by the second classifying means; a map sheet different from the basic data sheet; second simple code parallel arrangement means for arranging the second simple codes listed by the second evaluation item listing setting means on the map sheet in an order of a list on the right side in the horizontal direction in such a state that an interval is opened in a vertical column on at least the left side; specific item mapping means for acquiring display specific items, the first simple codes, and the second simple codes from the plurality of first-class records in the order of the first-class records rearranged by the first simple codes, determining vertical direction positions on the map sheet means by the first simple codes and horizontal direction positions on the map sheet by the second simple codes, arranging the display specific items at cell positions where the vertical direction positions and the horizontal direction positions cross, and arranging the first simple codes on the left column opened by the second simple code parallel arrangement means; and output means for displaying or printing a matrix-like map sheet means formed by the specific item mapping means or performing file outputting.

**[0011]** In order to achieve the object, a data map forming method according to the present invention extracts a plurality of values of predetermined references related to a plurality of first-class records on a basic data sheet in which a plurality of first-class records including a plurality of different items can be stored in a list state to list the values as first simple codes in a predetermined arrangement order; extracts a plurality of values of predetermined references having a viewpoint different from the viewpoint of the first simple codes to list the values as second simple codes in a predetermined arrangement order; classifies the first-class records by the first simple codes corresponding to the values on the basis of first specific items of the plurality of first-class records on the basic data sheet; classifies the first-class records by second simple codes corresponding to the values on

the basis of values of second specific items of the plurality of first-class records on the basic data sheet; rearranges the plurality of first-class records on the basic data sheet by the predetermined references while giving priority to the first simple codes and rearranges the second simple codes; arranges the second simple codes on a map sheet in an order of a list on the right side in the horizontal direction in such a state that an interval is opened in a vertical column on at least the left side; sequentially acquires the specific items of the first-class records, the first simple codes, and the second simple codes in the order of the first-class records rearranged by the first simple codes; determines vertical direction positions on the map sheet by the first simple codes and horizontal direction positions on the map sheet by the second simple codes in the acquisition order; arranges the specific items at positions where the vertical direction positions and the horizontal direction positions cross; arranges the first simple codes on the left column opened by second simple code parallel arrangement means; and forms a matrix-like map sheet.

#### BRIEF DESCRIPTION OF THE DRAWINGS

**[0012]** FIG. 1 is a system diagram showing the configuration of an embodiment in which a data display system and a data map forming system according to the present invention are applied to formation of a patent map.

**[0013]** FIG. 2 is a flow chart for explaining the flow of rough processes of the formation of a patent map in this embodiment.

**[0014]** FIG. 3 is a flow chart showing the operation of a data display system according to the embodiment to explain a shift from a basic data sheet display state to an evaluation input screen.

**[0015]** FIG. 4 is a flow chart showing the operation of a data display system according to the embodiment to explain display switching and evaluation inputting on an evaluation input screen.

**[0016]** FIG. 5 is a flow chart showing the operation of a data map forming system according to the embodiment.

**[0017]** FIG. 6 is a diagram showing an example of an evaluation axis setting screen in the embodiment.

**[0018]** FIG. 7 is a diagram showing an example of a basic data sheet screen in the embodiment.

**[0019]** FIG. 8 is a diagram showing an example of a basic data sheet screen in the embodiment.

**[0020]** FIG. 9 is a diagram showing an example of an evaluation input screen obtained by a display system according to the embodiment.

**[0021]** FIG. 10 is a diagram showing an example of an applicant - classification map screen in the embodiment.

**[0022]** FIG. 11 is a diagram showing an example of a classification sheet screen in the embodiment.

**[0023]** FIG. 12 is a diagram showing an example of

an X axis - Y axis map screen in the embodiment.

**[0024]** FIG. 13 is a diagram showing an example of a detailed display screen of a cell in a map obtained by the display system according to the embodiment.

**[0025]** FIG. 14 is a diagram showing an example of a static table screen in the embodiment.

**[0026]** FIG. 15 is a diagram showing an all-document display state obtained by pressing an "abstract → all-document display" in FIG. 9.

**[0027]** FIG. 16 is a diagram showing a state in which "all drawings" and "claim" buttons are pressed in the all-document display state in Fig. 15 to display a corresponding display item.

#### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

**[0028]** The present invention will be described below on the basis of the drawings.

**[0029]** FIG. 1 is a system diagram showing an embodiment of a display system and a patent map forming system serving a data map forming system according to the present invention, FIGS. 2 and 5 are flow charts showing operations in the embodiment, and FIGS. 6 to 14 are diagrams showing examples of various screen displays in the embodiment.

**[0030]** Referring to FIG. 1, a user terminal PC using a personal computer, a workstation, or the like in which a CPU (Central Processing Unit), memory devices such as a ROM, a RAM, and an HDD, a communication control device, and the like are incorporated can use a patent data server SV connected to the user terminal PC through a communication path such as a LAN.

**[0031]** The patent data server SV stores detailed data related to publications such as bibliographical items (publication number, application number, filing date, applicant, international patent classification, and the like), claims, detailed descriptions, and drawings of unexamined patent publications issued by a memory medium such as a CD-ROM in a patent database DB.

**[0032]** The patent data server SV can search for publications corresponding to various searching conditional equations through a searching program DBM for searching the patent database DB. Bibliographical items, a summary, a representative drawing, and the like of a publication extracted on the basis of the searching result can be displayed on a display DP of the user terminal PC, and a contents examiner can perform an examination with reference to the contents.

**[0033]** More specifically, this patent data server SV stores a plurality of electronic patent data serving as a plurality of records including items having, as contents, first-class identification codes which have high understandability and which are easily understood by the examiner, such as unexamined patent publication numbers (e.g., Japanese Unexamined Patent Publication No. 11-012345 or the like) or patent (examined patent application) numbers.

**[0034]** In order to identify memory positions or the like of the respective records stored in the patent database DB, second-class identification codes (e.g., AA99012345, BB9702346, or the like) inherent in the records are given to the memory positions in a format different from that of the first-class identification codes.

**[0035]** The patent data server SV can be provided by downloading the searching result obtained by the searching program DBM on the user terminal PC of the examiner.

**[0036]** The file format used in this download is, in this embodiment, a CSV (comma separated value) file format in which a plurality of patent bibliographical information data (to be referred to as first-class records hereinafter) including, as items, first-class identification codes (e.g., Japanese Unexamined Patent Publication No. 11-012345 and the like) such as unexamined patent publication numbers which can be easily understood by the examiner are divided by comma symbols with respect to, e.g., items to divide records serving as sets of items from each other by line feed symbols.

**[0037]** The user terminal PC of the examiner comprises a data display system 10 and a patent map forming system 20 serving as a data map forming system.

**[0038]** The patent map forming system 20 comprises a spreadsheet software 22 (e.g., Excel available from Microsoft Corporation), and loads a list-like input file DI to be processed downloaded on the user terminal PC in the CSV format on the spreadsheet software 22 to obtain a database (to be referred to as a basic data sheet DS hereinafter) to be processed. The database can be displayed as a list or can be subjected to various processes such as a rearrangement process.

**[0039]** The spreadsheet software 22 stores an evaluation data sheet HS obtained by listing evaluation values for evaluating publications of unexamined patent applications, official gazettes, and the like to be examined with various evaluation axes. From records of the basic data sheet DS to which the results evaluated with the evaluation axes are added, a map sheet MS arranged on a two-dimensional map by the various evaluation axes is formed, and the map sheet MS is stored.

**[0040]** The examiner examines patent contents on the basis of the provided list-like basic data sheet DS to perform evaluation. However, when the evaluation cannot be performed by using only the data items (publication number, filing date, title of invention, international patent classification, inventor, applicant, and the like included in the first-class records serving as bibliographical information on the basic data sheet DS are used, specific item information (abstracts, representative drawings, claims, detailed descriptions, drawings, and the like) of the second-class records which are not included in the first-class records are necessary.

**[0041]** For this reason, when the necessity occurs, the examiner uses the data display system 10 to directly access the patent data server SV on the basis of, e.g., publication number on the basic data sheet DS, and ac-

quires the abstract, representative drawing, claims, detailed description, drawings, and the like corresponding to the publication number, so that the abstract, the representative drawings, the claims, the detailed description, the drawings, and the like can be displayed on the display DP.

**[0042]** More specifically, the data display system 10 comprises an identification code converter 12 serving as a conversion means for converting first-class identification codes PN (e.g., Japanese Unexamined Patent Publication No. 11-12345, Japanese Unexamined Patent Publication No. 2000-1, Japanese Examined Patent Publication No. 10-54321) acquired from the basic data sheet DS into second-class identification codes (e.g., AA99012345, AA00000001, BB98054321) serving as identification codes inherent in the second-class records serving as patent detailed information stored in the patent data server SV.

**[0043]** The data display system 10 has a priority display switching unit 14 related to the first-class identification codes having different priorities, so that the priority display switching unit acquires the specific item information of the corresponding a priority from the patent data server SV depending on the state of a publication data/registration data switching button displayed on the display DP to switch the displays.

**[0044]** The display system has not only a function of accessing the patent data server SV in Japan, but also a function of connecting US Patent and Trademark Office (US-PTO), European Patent Office (EPO), and the like through the Internet. When the patent detailed data corresponding to the first-class identification codes are not on the patent data server SV, and when the detailed data are on a data server (e.g., the patent database of US Patent Office, the database of European Patent Office, and the like) in the foreign country, address conversion is performed to the data server.

**[0045]** The data display system 10 has a specific item display switching unit 16 for selecting the specific items of the second-class records to display the specific items. The specific item display switching unit 16 selects the items of second-class records exactly displayed on the display DP. For example, the specific item display switching unit 16 switches an abstract display and an all-document display to each other.

**[0046]** When a plurality of first-class records (e.g., the record of Japanese Unexamined Utility Model Publication No. 5-1123 and the record of Japanese Unexamined Utility Model Publication No. 5-1124) are on the basic data sheet DS, the data display system 10 has a data selection moving unit 18 to display the next record of the record which is being displayed at the present or to return to the previous display.

**[0047]** In addition, the data display system 10 acquires a plurality of evaluation value data (e.g., "high", "low", "no", and the like in the degree of importance) from the evaluation data sheet HS in which data are stored with respect to a plurality of evaluation axes (e.

g., an X axis, a Y axis, and the degree of importance) having different viewpoints and displays the evaluation value data on the screen to evaluate the respective records on the basic data sheet DS. When one of these evaluation value data is selected, the evaluation value data is transmitted to the evaluation items of the first-class records on the basic data sheet DS corresponding to the evaluation data sheet HS to store the evaluation value data at a corresponding position on the basic data sheet DS.

**[0048]** The flow chart in FIG. 2 shows an outline of processes of forming a patent map such that the patent map forming system 20 and the data display system 10 are cooperated.

**[0049]** As a preparation, searching and extracting patent data to be evaluated are performed under desired searching conditions. It is assumed that the bibliographical items of the patent data to be evaluated are obtained as an input file DI of, e.g., the CSV format. The input file DI can also be formed by manual inputting, or may be prepared such that another source data is converted with an appropriate tool.

**[0050]** First, the patent map system initializes the data sheet (step 10, step will be abbreviated as S hereinafter) to set evaluation axes depending on an object for forming the patent map, and forms an evaluation data sheet as shown in FIG. 6 in which a plurality of evaluation values are listed with respect to the evaluation axes (S12). The evaluation values of the set evaluation axes can be additionally set as needed during the evaluation of official gazettes and the like).

**[0051]** Records to be evaluated are taken from the input file DI into the spreadsheet software 22 (S14). The records of the input file DI are the records of bibliographical information of the extracted publications of unexamined patent applications or official gazettes. The publication numbers of the publications of unexamined applications and decided patents include official gazette numbers or patent numbers as the items of the first-class identification codes.

**[0052]** The information of the input file includes not only patents but also utility models. As the information, an unpublished invention to which an intra-office reference number or an application number is added as a first-class identification code may be used.

**[0053]** Upon completion of loading the input file DI, the spreadsheet software 22 forms the basic data sheet DS, as shown in FIGS. 7 and 8, having a format in which columns are assigned to the respective items of the input records and rows are assigned to the records, and displays the basic data sheet DS on the display DP.

**[0054]** On the display screen of the basic data sheet DS shown in FIG. 7, a "input/content display of evaluation or the like" button 701, a "application year, applicant, classification code automatic input" button 702, and a "return to menu" button 703 are arranged. A cell displaying a publication number which is being selected is displayed by a cursor 704.

**[0055]** The basic data sheets DS shown in FIGS. 7 and 8 include, as items of records, publication number, name, classification, patent (examined patent application) number, application number, filing date, inventor, featured point, X axis, Y axes, the degree of importance, request for examination, employment state, intra-office reference number, classification code, applicant code, and application year code.

**[0056]** Of these items, the items of publication number, classification, patent (examined patent application) number, application number, publication date, filing date, inventor are items taken from the input file DI.

**[0057]** The items of X axis, Y axis, the degree of importance, request for examination, employment state, intra-office reference number, classification code, applicant code, and application year code are set in evaluation. The classification code, the applicant code, and the application year code can be automatically set by pressing the "application year, applicant, and classification code automatic input" button 702 in FIG. 7.

**[0058]** When the cell of the publication number on the basic data sheet DS is selected with a mouse or the like, and when the "input/content display of evaluation or the like" button 701 is pressed, the display screen is switched to an evaluation input screen in FIG. 9. The details (specific item information) of the abstract, all documents, and the like of the publication taken from the patent data server SV on the basis of the publication number selected on the basic data sheet DS are displayed on the screen through a detailed data display unit 919 in FIG. 9 (S16).

**[0059]** At this time, the data display system 10 uses an identification code conversion unit 12 serving as a conversion means for converting a first-class identification code PN obtained from the first-class records on the basic data sheet DS and having high understandability, e.g., a generally used or written publication number such as an official gazette number (e.g., Japanese Unexamined Patent Publication No. 11-12345 and Japanese Unexamined Patent Publication No. 2000-1) or a utility model publication number into a second-class identification code (e.g., AA99012345 and AA00000001) which is an identification code inherent in the second-class records for identifying the second-class records.

**[0060]** The patent data server SV is accessed by the second-class identification code obtained by the conversion result, specific item information such as an abstract and a representative drawing which are second-class records corresponding to the first-class identification code PN are requested, so that the specific item information is taken from the patent data server SV to be displayed on the display DP.

**[0061]** When a first-class identification code on the basic data sheet DS is acquired, and when one first-class record on the basic data sheet DS includes a plurality of first-class identification codes having different priorities, i.e., when the first-class record includes a pub-

lication number and a patent (examined patent application) number (e.g., Japanese Patent No. 1234456 and Japanese Unexamined Patent Publication No. 63-5523), a first-class identification code PR (e.g., Japanese Patent No. 123456) having a higher priority is selected. The first-class identification code PR having the higher priority is converted into a second identification code (e.g., BB0123456).

**[0062]** On the basis of the converted second-class identification code, the specific item information of the second-class record corresponding to the first-class identification code PR having a high priority is taken from the patent data server SV to be displayed on the display DP.

**[0063]** In the example of the evaluation input screen in FIG. 9, utility model registration is used. For this reason, the first-class identification code having a high priority is Japanese Examined Utility Model Publication No. 07-040435, and a first-class identification code having a low priority is Japanese Unexamined Utility Model Publication No. 01-117957. Therefore, the specific item information of the Japanese Examined Utility Model Publication No. 07-040435, i.e., an abstract and a representative drawing are displayed on the detailed data display unit 919.

**[0064]** The data display system 10 has the priority display switching unit 14 related to first-class identification codes having different priorities, so that the priority display switching unit 14 acquires specific item information having a corresponding priority from the patent data server SV depending on the state of a publication data/registration data switching button (reference numeral 903 in FIG. 9) displayed on the display DP to switch displays to each other.

**[0065]** In FIG. 9, the display characters on the publication data/registration data switching button 903 represent "to unexamined application data" since the display is switched to the display of unexamined application data when the button is pressed during displaying examined application data. In contrast to this, the display characters represent "to examined application data" since the display is switched to the display of the examined application data when the button is pressed during displaying the unexamined application data. Even if a beginner operates the button, the intention of switching can be easily realized.

**[0066]** The display system has not only a function of accessing the patent data server SV in Japan, but also a function of connecting US Patent and Trademark Office (US-PTO), European Patent Office (EPO), and the like through the Internet. When the patent detailed data corresponding to the first-class identification codes are not on the patent data server SV, and when the detailed data are on a data server (e.g., the patent database of US Patent Office, the database of European Patent Office, and the like) in the foreign country, address conversion is performed to the data server to obtain detailed data.

**[0067]** A "JPO-IPDL" button 916, a "US. PTO" button 917, and an "EPO" button 918 in FIG. 9 are buttons for performing connection to Patent Office - Patent Electronic Library, US Patent and Trademark Office, and European Patent Office through the Internet.

**[0068]** The data display system 10 has the specific item display switching unit 16 for selecting the specific items of the second-class records to display the specific items. The specific item display switching unit 16 selects the items of second-class records exactly displayed on the display DP. For example, the specific item display switching unit 16 switches an abstract display and an all-document display to each other.

**[0069]** In FIG. 9, an abstract/all-document display selection button 905 is arranged, "abstract → all-document display" is displayed in this button during displaying all the documents. Depending on a button pressed in a specific state, a tag is selectively added to a second-class identification code requesting a second-class record from the patent data server SV.

**[0070]** For example, when the "abstract/all-document display" button 905 is pressed during displaying an abstract, a specific tag (e.g., "all-document") to the second-class identification code inherent in the second-class record, and specific item information (e.g., all documents) different from the specific item information corresponding to the second identification code to which the tag is added is requested from the patent data server SV to switch the display to the display of the specific item information. At this time, the display of the button 905 is switched from "abstract → all-document display" to "all-document → abstract display".

**[0071]** FIG. 15 shows a state in which the detailed data display unit 919 is switched from an abstract display state (abstract and representative drawing are displayed in one window) into an all-document display state. All-document text data is displayed on the left window, and the representative drawing is displayed on the right window. (Note that a publication different from that in FIG. 9 is illustrated in FIG. 15 and FIG. 16 (to be described later)). When a "claim" button 15A or an "all drawing" button 15B in the detailed data display unit 919 is pressed, as shown in FIG. 16, the position of the text of the left window is jumped to "claim" to display the "claim", so that all the drawings are displayed in the left window (invisible portion can be fed downwardly by a scroll bar SB on the left side of each window). Another button in the detailed data display unit 919, e.g., a button of "industrial field" or "problem", the position of the text is jumped to the corresponding item to display the item, as a matter of course.

**[0072]** In addition, the data display system 10 has a data selection moving unit 18 in which, when a plurality of first-class records (e.g., record of Japanese Unexamined Utility Model Publication No. 5-1123 and record of Japanese Unexamined Utility Model Publication No. 1124) are on the basic data sheet DS, selection is moved to a first-class record (record of Japanese Un-

examined Utility Model Publication No. 5-1124) next to a first-class record (e.g., record of Japanese Unexamined Utility Model Publication No. 5-1123) which is displayed at the present to acquire the first-class identification code (e.g., Japanese Unexamined Utility Model Publication No. 5-1124) of the record, and the record is converted into a second-class identification code.

**[0073]** The data selection moving unit 18 displays a selection moving input means of a record to be processed with a "to next ▽" button 910 and a "return Δ" button 909 on the display screen, shifts to the display of the next record according to the button operation input or returns to the previous record.

**[0074]** The data display system has a tag memory unit for storing a specific item selection tag (e.g., "# Claim") added to a second-class identification code inherent in a second-class record when specific item information (e.g., "claim") is displayed (see FIG. 16) by clicking the "claim" button 15A in the all-document display state shown in FIG. 15. In identification code conversion of record selection moving by the record selection moving button (the "to next ▽" button 910 or the "return Δ" button 909), a stored item selection tag is added to the second-class identification code, and specific item information (e.g., "claim") corresponding to the second-class identification code to which the stored item selection tag (e.g., "# Claim") is added is requested from the patent data server SV, so that the specific item information (e.g., "claim") is continuously displayed.

**[0075]** Therefore, even though record selection to be displayed is moved, the same item information as that of the previous record can be seen. For this reason, the contents can be quickly recognized.

**[0076]** In this manner, a publication is displayed to examine the contents of the publication, and an evaluation value along each evaluation value is selectively input, so that the value of the evaluation item is added to the basic data sheet DS (S18).

**[0077]** In FIG. 9, in order to make an evaluation input easy, an X axis evaluation value selection pull-down menu 907 (corresponding to a character string "body, chassis, ..." of a list 602 of the evaluation data sheet HS in FIG. 6), a Y axis evaluation value selection pull-down menu 908 (corresponding to a character string "quality, cost reduction, and performance" of a list 604 of the evaluation data sheet HS in FIG. 6), a importance axis evaluation value selection pull-down menu 911 (corresponding to a character string "A, B, ..." of a list 604 of the evaluation data sheet HS in FIG. 6), a request-for-examination axis evaluation value selection pull-down menu 912 (corresponding to a character string "existence, no, registered, ..." of a list 605 of the evaluation data sheet HS in FIG. 6), and employment-state axis evaluation value selection pull-down menu 913 (corresponding to a character string "in-employment, employment is planned in next period, ..." of a list 606 of the evaluation data sheet HS in FIG. 6) are arranged.

**[0078]** An operator opens the pull-down menu of an

evaluation axis to which an evaluation value should be input to click the selected evaluation value, so that the evaluation value is taken by the basic data sheet DS.

[0079] At this time, the data display system 10 acquires a plurality of evaluation value data ("high", "low", "no", and the like in the degree of importance) from an evaluation data sheet HS in which evaluation value data related to at least one of a plurality of first-class records on the basic data sheet DS are stored in units of evaluation axes (e.g., X axis, Y axis, and the degree of importance) having different viewpoints and stores the plurality of evaluation value data. When one of the evaluation value data is selected, the evaluation value data is transmitted to the evaluation items of the first-class records on the basic data sheet DS corresponding to the evaluation data sheet HS and stores the evaluation data at corresponding positions on the basic data sheet DS.

[0080] More specifically, when evaluation value data is acquired, a value set in the evaluation value data is stored. When the evaluation value data is transmitted to a first-class record on the basic data sheet DS, simple codes such as serial numbers (1, 2, 3, ...) corresponding to values set in the evaluation value data are transmitted. When evaluation item data has been stored in a corresponding item on the basic data sheet DS, the evaluation item data is acquired. When the evaluation item data is a simple code, the simple code is converted into a corresponding character string on the evaluation data sheet HS to display the contents of the character string.

[0081] Therefore, since evaluation can be determined while watching detailed contents such as a publication of an unexamined application on the data display system 10, correct evaluation can be quickly performed, and a simple code is stored as the contents of an evaluation item of a first-class record on the basic data sheet DS, rearrangement (e.g., the order of Japanese syllabary) for the values set on the basic data sheet DS is not performed, but rearrangement can be performed by simple codes such as serial numbers. As a result, the data on the basic data sheet DS can be rearranged in a desired order.

[0082] More specifically, when the contents "body, chassis, engine ..." are added to the data on the basic data sheet DS to rearrange the data, in general, the data "engine, chassis, drive, ..." may be arranged in the order of Japanese syllabary, i.e., may be arranged in an undesired order. When evaluation is performed by adding serial numbers "body = 1, chassis = 2, engine = 3, ...", the data can be rearranged in a desired order. In addition, on the data display system 10, a character string of natural writing such as "body" is displayed as indicated by the pull-down menu (drop down list) 907 in FIG. 9. For this reason, evaluation can be quickly performed.

[0083] Furthermore, when character string (e.g., "by airbag expansion load") of specific information is selected from the specific item information (e.g., abstract) displayed on the detailed data display unit 919, the character string is stored.

When an item (e.g., "X axis", "featured point", or the like, "featured point" in FIG. 9) to be added on the data display system is double-clicked, the character string of the specific information is added to a position corresponding to evaluation item data of the basic data sheet DS, and the character string of the specific information is additionally stored in the evaluation data sheet HS. For this reason, since the evaluation item data can be added on the data display system without returning to the evaluation data sheet HS, a cumbersome operation such as a screen switching operation can be omitted.

[0084] In FIG. 8, a character string 8A which is an "armrest and airbag" of a cell below "featured point" = cell at row 11 and column J is character string input to the text box 914 of the "featured point" in FIG. 9. A numeral value "1" 8B of a cell below "X axis" = cell at row 11 and column K corresponds to "body" = "1" of "X axis" of the evaluation data sheet HS in FIG. 6, and represents "body" of the "X axis" pull-down menu 907 in FIG. 9. Similarly, pieces of information, i.e., "Y axis", "degree of importance", "request for examination", and "employment state" are stored in the basic data sheet DS with numeral values corresponding to data displayed by character strings in FIG. 9.

[0085] An evaluation value is selected in S18 in FIG. 2 to check whether the record is the next record in S20. If the record is the next record, the flow returns to S16. If the record is not the next record, it is determined that all the records of the basic data sheet DS are evaluated.

[0086] On the basic data sheet DS that has been evaluated, various static data can be displayed. FIG. 14 shows an example of a static table in which data are totaled in units of applicants.

[0087] A two-dimensional map obtained by two designated evaluation axes is formed (S22).

[0088] The map is formed such that records on the basic data sheet DS in which cells are two-dimensionally arranged are edited independently of the basic data sheet DS to arrange the records at the cells on the map sheet MS.

[0089] This map, for example, as shown in FIG. 10, pieces of information including descriptions or the like having short featured points constituted by character strings arbitrarily selected, i.e., applicants, publication numbers (patent numbers), titles of inventions, and filing dates are arranged on the map in units of publications of unexamined applications (or publications of (unexamined) patent applications).

[0090] Various map displays are performed by a map sheet (S24), a cell is selected to display the details of a cell on the map (S26), and a content display button is pressed. A publication number or the like serving as a first-class identification code is acquired from the cell in the same processes as those in the detailed display in S16 in FIG. 2, the publication number or the like is converted into a second-class identification code, and the patent data server SV is accessed to obtain the detailed



information of a publication serving as a second-class record, so that the detailed information can be displayed on a display (S28).

**[0091]** Here, the patent map forming system 20 will be described below. From a first-class records stored in the basic data sheet DS, on the basis of values of (e.g., international patent classifications) of first specific items, the values are totalized, and overlapping values are removed. In this state, the values are rearranged in a predetermined arrangement order (e.g., the order of frequency) to be listed (see list 11A in FIG. 11), and the values (e.g., international patent classifications) are sequentially selected from the list (see list 11B in FIG. 11). The values are listed together with sequential first simple codes (first serial numbers) corresponding to the values, and stored and set (first evaluation item listing setting means, list 607 related to "classification" in FIG. 6).

**[0092]** In addition, from the data group described above, on the basis of the values of second specific items (e.g., applicants), the values are totalized, and overlapping values are removed. In this state, the values are rearranged in a predetermined arrangement order (e.g., the order of frequency) to be listed (see list 14A in FIG. 14), and the values (e.g., applicants) are sequentially selected from the list. The values are listed and set together with sequential second simple codes (second serial numbers) corresponding to the values (second evaluation item listing setting means, (list 608 related to "applicant" in FIG. 6).

**[0093]** On the basis of the values (e.g., international patent classifications, a column of "classification" in FIG. 7 = column C) of the first specific items of data on the basic data sheet DS, classification (first-classifying means) is performed by first simple codes (e.g., first serial numbers representing international patent classifications) corresponding to the values of the first specific items set by the first evaluation item listing setting means (column of "classification code" in FIG. 8 = column Q). On the basis of the values of the first specific items of data on the basic data sheet DS, classification (second classifying means) is performed by second simple codes (e.g., second serial numbers representing applicant codes) corresponding to the values of the second specific items set by the second evaluation item listing setting means (column of "applicant code" in FIG. 8 = column R). The operation performed up to this corresponds to previous preparation for map formation of the patent map forming system 20.

**[0094]** The patent map forming system 20 also prepares a map sheet MS independently of the basic data sheet DS. This map sheet MS is a sheet in which a plurality of cells are horizontally and vertically arranged.

**[0095]** FIG. 10 is a diagram showing an example of the map sheet MS, and shows an example in which a two-dimensional patent map is formed by using an applicant as an abscissa and an international patent classification as an ordinate.

**[0096]** FIG. 11 is a display example of a classification

sheet in which the contents of international patent classifications are stored in units of classifications, shows a totalizing list 11A, and shows, at the center, a selection list 11B in which the first to tenth classifications are selected from the totalizing list 11A.

**[0097]** In order to form a map, a "MAP formation/updating" button 10A on the map sheet MS. Upon completion of the operation, second simple codes (e.g., second serial numbers representing applicant codes) listed by the second evaluation item listing setting means are horizontally rearranged on the right side on the map sheet MS in the order of the list to have an interval in a vertical column on at least a left side (second simple code parallel arrangement means). Therefore, display specific items (applicant, publication number, degree of importance, featured point, and the like, for example, an applicant is abbreviated as three initial characters or the like), the first simple codes, and the second simple codes of data on the basic data sheet DS in the order of the rearrangement performed for the first simple codes (e.g., first serial numbers representing international patent classifications) are acquired. The vertical position on the map sheet is determined by the first simple codes, and the horizontal position on the map sheet is determined by the second simple codes (e.g., second serial numbers representing applicant codes). A display specific item (publication number, degree of importance, featured point, and the like) is arranged at cell a position where the vertical position and the horizontal position cross, and the first simple codes are arranged (specific item mapping means) on the left column opened by the second simple code parallel arrangement means.

**[0098]** The second simple code parallel arrangement means has a second display conversion unit for displaying values (e.g., corresponding to applicant names such as "Nissan Motor" or "Toyota Motor Co." in FIG. 10) corresponding to the second simple codes set by the second evaluation item listing setting means. The specific item mapping means has a first display conversion unit for displaying values (e.g., corresponding to international patent classifications such as "B60R21", "B60J5", ... and the like in FIG. 10) set by the first evaluation item listing setting means corresponding to the first simple codes arranged on the left column on the map sheet MS. For this reason, since items which can be easily understood even though the data are evaluated by the simple codes (e.g., serial numbers representing applicants or serial numbers representing classifications) can be set as titles, the contents can be more easily understood.

**[0099]** The formed map sheet MS is designed to be displayed on the display DP, printed, or output as a file to a memory means such as a hard disk.

**[0100]** The map sheet MS is formed and examined to effectively use the patent data, so that the operations of easily and precisely analyzing the patent data can be performed.

**[0101]** Therefore, the patent application states of respective corporations in technical fields depending on

international patent classifications can be recognized, and technical trend from the point of view of patents can be easily analyzed.

**[0102]** At least one of the first and second evaluation item listing means may be a means for equally dividing a value between the maximum value and the minimum value of the numeral values (e.g., filing years) extracted from specific items (e.g., filing dates), which can be treated as numeral values, of the items of the basic data sheet and corresponding to the specific items into predetermined values (every year) to list the equally divided numeral values (every year) (list 609 related to "filing year" in FIG. 6).

**[0103]** In the system described above, evaluation items can be automatically input, cumbersome operations can be omitted, and a data map can be easily formed.

**[0104]** In addition, at least one of the first and second evaluation item listing means may be a means for totalizing the frequencies of the values (e.g., international patent classifications or applicants) of the specific items of the data on the basis data sheet and rearranging the values in the order of the frequency, and sequentially listing a value having a high frequency first.

**[0105]** According to this, a value (e.g., international patent classification or applicant) of a specific item which frequently appears as data is evaluated and input first.

**[0106]** In addition, the data map forming system acquires a plurality of list items set by the first evaluation item listing setting means, one of the list items can be selected (first evaluation item selection means, pull-down menu 10C of the ordinate in FIG. 10). A plurality of list items set by the second evaluation item listing setting means are acquired, and one of the list items can be selected (second evaluation item selection means, pull-down menu 10B of the abscissa in FIG. 10). By the first evaluation item selection means 10C or the second evaluation item selection means 10B, on the basis of the selected item, a display position is moved to a cell at the crossing point of the first/second items on the map sheet MS, so that the cell at the crossing point is selected (on-map moving means).

**[0107]** In FIG. 10, "Nissan Motor" is selected from the pull-down menu (drop-down list) 10B, and "B60R21/" is selected from the pull-down menu (drop down list) 10C. For this reason, the cell at row 11 and column C which is the crossing point between the pull-down menu 10B and the pull-down menu 10C.

**[0108]** In addition, display specific items (the three initial characters of applicant, publication number, degree of importance, featured point, and the like, "Nissan Motor, Japanese Examined Utility Model Publication No. 07-040435 ... (cut) ... thin portion torn by airbag expansion load in armrest ...) includes first-class identification code data (e.g., Japanese Unexamined Patent Publication No. 11-12345, Japanese Examined Utility Model Publication No. 07-040435). The item of a first-class

identification code is acquired from the display specific items, and first-class identification code data on the map sheet MS is converted into an address inherent in detailed data. On the conversion result, specific item information (e.g., abstract or representative drawing) is requested from the patent data server SV, so that the specific item information is displayed.

**[0109]** FIG. 13 is a screen which is displayed when a cell at row 11 and column C on the map sheet in FIG. 10 is selected and when a content display button is pressed. Since Japanese Examined Utility Model Publication No. 07-040435 is displayed at row 11 and column C in FIG. 10, when a content display button 10D is pressed, the abstract of Japanese Examined Utility Model Publication No. 07-040435 is displayed as shown in FIG. 13. This abstract display is designed to display an all-document display by pressing a "abstract → all-document display" button 13B.

**[0110]** The display means has a first evaluation item selection unit ("ordinate" pull-down menu 13C in FIG. 13) for acquiring a plurality of list items set by the first evaluation item listing setting means to make it possible to select one of the list items, a second evaluation item selection unit ("abscissa" pull-down menu 13B in FIG. 13) for acquiring a plurality of list items set by the second evaluation item listing setting means to make it possible to select one of the list items, an on-map moving selection unit for moving a display position to a cell at the crossing point between the first/second items on the map sheet on the basis of the item selected by the first evaluation item selection unit 13C or the second evaluation item selection unit 13B and selecting the cell at the crossing point, and an item acquisition unit for acquiring the item of the first identification code from the display specific items at the positions selected by an on-map moving selection unit. For this reason, the display position can be moved on the map sheet by the display means, and data corresponding to a patent whose specific item information also moves can be displayed on a detailed data display unit 13D.

**[0111]** More specifically, when other evaluation values selected by the pull-down menus of the abscissa and the ordinate, the contents of a cell two-dimensionally selected by the two evaluation values are displayed. A display specific item is also displayed on a display item unit 13G. The detailed data display unit 13D has a function (function of the items of "all drawing" and "claim" described above) equal to that of the detailed data display unit 919 in FIG. 9.

**[0112]** In addition, when a "return Δ" button 13E or a "to next ▽" button 13F in FIG. 13 are pressed, four data (data at column C and rows 11 to 14 in FIG. 10) in which the evaluation value of the abscissa is Nissan Motor and the evaluation value of the ordinate is a classification (B60R 21) are sequentially displayed.

**[0113]** The operations of the data display system and the map system according to the embodiment will be described below.

[0114] In FIG. 3, the data display system 10 loads an input file DI, and the operation is started from a state in which the basic data sheets DS as shown in FIGS. 7 and 8 are being displayed.

[0115] It is decided whether cursor moving is designated or no (S100). If cursor moving is designated, the cursor is moved to a designated cell (S102), the flow returns to S100. If cursor moving is not designated, it is decided whether "input of evaluation or the like/content display input" button (701 in FIG. 7 is pressed or not (S104). If the button is not pressed, the flow returns to S100. If the "input of evaluation or the like/content display input" button is pressed, a publication number and a patent (examined patent application) number are extracted from the first-class records on the basic data sheet DS including the cell designated by the cursor (S106).

[0116] The types of the extracted first-class identification codes are designated (S108). To the first identification codes, priorities depending on the types of patent (examined patent application) number > publication number > application number > intra-office reference number are added. If there is a first-class identification code such as a patent number or an examined application number having a high priority, the flow shifts to S110 to acquire the first-class identification code having a high priority, and the flow shifts to S116 to convert the first-class identification code into an identification code for accessing the patent data server SV. If there is a publication number having a normal priority, the flow shifts to S112 to acquire the normal first-class identification code, and the flow shifts to S116.

[0117] If there is no patent (examined patent application) number and no publication number, a first-class identification has a lower priority. For this reason, the flow shifts to S114 to acquire another identification code, and the acquired identification code is converted into a second-class identification for another data server (S118).

[0118] In S116, the first-class identification code is converted into a second-class identification code for accessing the patent data server SV. On the basis of the second-class identification code, the abstracts of the corresponding official gazette, publication of examined patent applications, publication of unexamined patent applications, and the like and the detailed data such as representative drawings are read from the patent data server SV (S120), and the read detailed data are displayed (detailed data display unit 919 in FIG. 9). On the basis of the displayed detailed data, input menus (the X axis evaluation value selection pull-down menu 907, the Y axis evaluation value selection pull-down menu 908, the importance-axis evaluation value selection pull-down menu 911, the request-for-examination axis evaluation value selection pull-down menu 912, the employment-state axis evaluation value selection pull-down menu 913, and the text box 914 for inputting a featured point) are displayed (S122).

[0119] At this time, an evaluation value list is acquired from the evaluation data sheet HS (S124), and it is decided whether an evaluation item has been stored in a corresponding record of the basic data sheet DS which acquires the first-class identification code to display details or not (S126). If the evaluation item has been stored, the contents of the evaluation value of the evaluation item is displayed with a character string on the screen (S128). This state corresponds to an evaluation input screen in FIG. 9.

[0120] FIG. 4 is a flow chart for explaining display switching and inputting an evaluation value on the evaluation input screen.

[0121] In FIG. 4, it is decided whether a button 901, 902, 903, 904, 905, 909, 910, 915, 916, 917, 918, or the like or a pull-down menu (drop-down list) 907, 908, 911, 912, or 913 is operated or not (S20). If the button or the menu is operated, the operated button or pull-down menu is decided.

[0122] In this example, it is decided whether an "abstract → all-document display" button (905 in FIG. 9) is pressed or not (S202). If the "abstract → all-document display" button is pressed, i.e., Yes (= when the button is pressed) is determined in step S202, an "all-document" tag is added to the second identification code to display all the documents of a displayed publication. The patent data server SV is accessed to read all the documents (S204). In this case, if the tag is added to the second-class identification code, the tag is stored in a tag memory unit (S206). Detailed data read next is displayed on the display (S208), the display of the button 905 is switched to "all-document → abstract display", and the flow returns to step S200.

[0123] If the display of the button 905 is not "abstract → all-document display" in the decision of the button operation in S202, it is decided the button is operated or not when the display of the button 905 is "all-document → abstract display" (S210). If Yes in step S210, the patent data server SV is accessed by only the second identification code to read the abstract (S212), and the flow shifts to step S206. In step S212, a function of clearing "tag" information of the tag memory unit also exists.

[0124] If the "all-document → abstract" button is set in the decision in step S210, it is decided whether a "claim" button displayed on the display unit 919 is pressed or not (S214). If Yes in step S214, a tag "# Claim" is added to the second-class identification code to access the patent data server SV, claims are read (S216), and the flow shifts to S206.

[0125] If the "claim" button is not set in the decision in step S214, it is decided whether the "to next ▽" button 910 or the "return Δ" button 909 are pressed or not (S218). If Yes in step S218, a first-class identification class is extracted from a "next" record or a "previous" record on the basic data sheet DS (S220), and a first-class identification code having a high priority is selected. The first-class identification code is converted into a second-class identification code (S222). If the tag of

an "all-document" display or a "claim" display is stored in the tag memory unit, the tag is added to the second-class identification code, and data is read from the patent data server SV (S224). The flow shifts to step S206.

**[0126]** If the "to next ▽" button 910 or the "return Δ" button 909 is not set in the decision in step S218, it is decided whether an evaluation item is selected next or not (S226).

**[0127]** In a decision of evaluation item selection, when pull-down of the pull down menu (907, 908, 911, 912, and 913 in FIG. 9) for displaying an evaluation value list of respective evaluation axes is designated, when any one of a plurality of evaluation value data of the pull-down menu displayed as character strings is clicked, it is decided that the evaluation item is selected.

**[0128]** If the evaluation item is selected, a simple code (value of a serial number) corresponding to evaluation value data (character string) designated by the pull-down menu is acquired from the evaluation data sheet HS (S228). The simple code is transmitted to an item corresponding to the corresponding record of the basic data sheet DS and stored (S230). Thereafter, the flow returns to S200.

**[0129]** If the evaluation item selection is not set in the decision in step S226, it is decided whether the other buttons 901, 902, and the like are operated or not, and the flow shifts to a process (to be described later) corresponding to the button. After the processes of the buttons except for an end button 915 are performed, the flow returns to S200 to return to a standby state for input.

**[0130]** The button 910 is a button for acquiring previous end number (previously evaluated data number) information on the basic data sheet DS, jumping to the record, and displaying the information. The button 902 is a button in which, although "no intra-office data" is displayed at present, when intra-office data exists at the column of "intra-office reference number" in FIG. 8 = column P, "intra-office data exists" is displayed and which can access an intra-office server. The button 904 is a button for deleting a record on the basic data sheet DS corresponding to a publication displayed at present. The button 915 is a button for ending the data display system. The detailed description of the flows related to these buttons will be omitted. Since the operations of the buttons 916, 917, and 918 have been described above, a description thereof will be omitted.

**[0131]** When all the records on the basic data sheet are evaluated on the evaluation input screen in FIG. 9, the flow shifts to the map forming system in FIG. 5. FIG. 5 is a flow chart for explaining the operation of the map forming system. A case in which a two-dimensional map using applicant - international patent classification as evaluation axes is formed will be exemplified.

**[0132]** In the map forming system, the items of the international classifications of the records on the basic data sheet DS are totalized, and overlapping values are removed. The items are rearranged in the order of appearance frequency and listed to be stored on the eval-

uation data sheet HS (S300).

**[0133]** Applicants are totalized from the basic data sheet DS, and overlapping values are removed. The applicants are rearranged in the order of appearance frequency, and listed to be stored on the evaluation data sheet HS (S302). Simple codes (serial numbers) are added to the evaluation items of the international patent classifications on the basic data sheet DS (S304), and simple codes (serial numbers) are added to the evaluation items of the applicants on the basic data sheet DS (S306).

**[0134]** The evaluation items are horizontally arranged on the map sheet MS in the order of the simple codes of the applicants on the evaluation data sheet HS (S308). The items of the basic data sheet DS are rearranged such that the first priority is given to the simple codes corresponding to the international patent classifications and the second priority is given to the simple codes of the applicants (S310).

**[0135]** The records are taken from the start of the rearranged basic data sheet DS one by one, and, of the records, the simple codes of the international patent classifications and the simple code of the applicants are acquired. In this manner, cell positions on the map sheet using the applicant as the abscissa and using the international patent classification as the ordinate are determined (S314). The records are edited and arranged at the determined cell positions (S316). The result is shown in FIG. 10.

**[0136]** The map sheet is not limited to the applicant - classification map in FIG. 10. A filing year - classification map or a filing year - applicant map can also be displayed. In addition, in FIG. 6, an X-axis - Y-axis map whose axes are arbitrarily set can also be displayed.

**[0137]** FIG. 12 shows an example of the X-axis - Y-axis map. On each of the ordinate and the abscissa, character strings set as evaluation values are displayed as an axis scale. When a plurality of records includes equal X-axis evaluation values and equal Y-axis evaluation values, these records are arranged and displayed in the vertical direction. On the vertical axis scale corresponding to the plurality of records, the vertical axis scale corresponding to the first record is displayed with large display characters, and the vertical axis scales corresponding to the second or subsequent records are displayed with small display characters, so that the map can be easily seen.

**[0138]** The color of a cell in which a record having a specific evaluation value is displayed can also be displayed in color. From the X-axis - Y-axis map, a detailed display of an abstract, all documents, or the like can also be performed by a content display button.

**[0139]** The embodiment described above describes the case in which a plurality of records for forming a data map are transmitted from the patent data server SV to a user terminal PC of an examiner through a communication path such as a LAN. However, the present invention is not limited to the embodiment, the bibliographical

items of a publication or drawings may be directly read from a recording medium such as a CD-ROM in which publications of unexamined patent applications may be stored into the user terminal PC and may be processed, as a matter of course.

[0140] As has been described above, according to the present invention, an arbitrary evaluation axis can be easily set, and data to be processed can be evaluated from various viewpoints. A basic data sheet in which the values of evaluation items are set and detailed data to be evaluated can be easily switched and displayed. For this reason, power required for an evaluation operation can be saved.

[0141] Evaluation values derived from the items included in the records of the basic data sheet can be automatically set, and the evaluation values can be automatically input.

[0142] Evaluation results can be visibly displayed as a two-dimensional data map by selecting two evaluation axes. List data can be effectively used, and evaluation can be performed while checking the detailed data of a database. An analysis of data to be examined can be easily performed.

[0143] The entire content of a Japanese Application No. P2000-089866 with a filing date of March 28, 2000 is herein incorporated by reference.

[0144] Although the invention has been described above by reference to certain embodiments of the invention, the invention is not limited to the embodiments described above will occur to those skilled in the art, in light of the teachings. The scope of the invention is defined with reference to the following claims.

## Claims

### 1. A data display system comprising:

acquiring means for acquiring, from a basic data sheet which can store a plurality of first-class record including, as items, at least one first-class identification code which can be easily or generally understood by a reader or an operator in a list state, items of the first-class identification code;

conversion means for converting the acquired first-class identification code into a second-class identification code different from the first-class identification code; and

display means for acquiring, from a data server in which a plurality of second-class records including items corresponding to the items of the first-class identification code and a plurality of items related to the items such that the second-class identification code is given to the second-class records, first specific item information of the second-class records identified by the second identification code obtained by the conver-

sion means to display the specific item information.

### 2. A data display system according to claim 1, wherein

the second conversion means converts a first-class identification code having a high priority into the second-class identification code when a specific first-class record on the basic data sheet include a plurality of items of the first-class identification code having different priorities, and

the display means displays first specific item information of a second-class record corresponding to the first-class identification code having a high priority on the basis of the converted second-class identification code.

### 3. A data display system according to claim 2, comprising

identification code selection means for designating selection of any one of the plurality of items of the first identification code, wherein the display means performs switching to the first specific item information of the second-class record corresponding to the selected item of the first-class identification code depending on the designation of the identification code selection means.

### 4. A data display system according to claim 1, comprising:

display item input means for inputting that an item to be displayed of the second-class record is second specific item information different from the specific item information, wherein the display means when the second specific item information is input from the display item input means, adds an item selection tag to the second identification code, requests the second specific item information different from the first specific item information of the second record corresponding to the item selection tag from the data server, and displays the second specific item information.

### 5. A data display system according to claim 1, comprising

record selection moving means for, when the basic data sheet includes a plurality of first-class records, moving the record to a first-class record of a record displayed on the display means at present to acquire the item of the first-class identification code of the record and for transmitting the item to the conversion means.

6. A data display system according to claim 5, comprising

display selection memory means for storing that one of the first specific item information of the second-class record and the second specific item information different from the first specific item information is selectively stored, wherein, when the display of the second specific item information is stored in the display selection memory means, the display means adds a specific item selection tag to the second-class identification code to request the data server to read the second-class record, and displays the second specific item information of the second-class record returned from the data server.

7. A data display system according to claim 1, comprising:

evaluation item memory means for acquiring a plurality of evaluation data from an evaluation data sheet in which evaluation value data related to at least one of a plurality of first-class records is stored in a format different from that of the first-class record on the basic data sheet, and for storing the plurality of evaluation value data;  
evaluation item selection means for displaying the plurality of evaluation value data stored in the evaluation item memory means and for making it possible to select one from these evaluation value data; and  
evaluation item memory means for outputting the evaluation value data to an evaluation item of the first-class record on the basic data sheet to memory the evaluation value data on the basic data sheet when one of the evaluation value data is selected.

8. A data display system according to claim 1, comprising

evaluation item addition setting means for selecting specific information from specific item information of the first-class or second-class record displayed by the display means, temporarily storing the specific information, adding the specific information to a position corresponding to an evaluation item of the basic data sheet, and additionally storing the specific information as evaluation item data on the evaluation data sheet.

9. A data display system according to claim 7, wherein

the evaluation item memory means stores evaluation values expressed by character strings or words in a natural language which can be easily

or generally understood by a reader or an operator set in evaluation items on the evaluation data sheet and a plurality of simple codes corresponding to the evaluation values; and the evaluation item selection means displays the evaluation value set in evaluation item data, and the evaluation item memory means transmits a simple code corresponding to the evaluation value set in the evaluation item data to the item of the first-class record on the basic data sheet.

10. A data map forming system comprising:

a basic data sheet which can store a plurality of first-class records including a plurality of different items in a list state;  
first evaluation item listing setting means for totalizing values of first specific items constituted by numeral values of a plurality of first-class records on the basic data sheet or values of first specific items and arranging the values and first simple codes corresponding to the values in a predetermined arrangement order in such a state that overlapping values of the values are removed to perform listing setting;  
second evaluation item listing setting means for totalizing values of second specific items of the plurality of first-class records on the basic data sheet and arranging the values and second simple codes corresponding to the values in a predetermined arrangement order in such a state that overlapping values of the values are removed to perform listing setting;  
first-classifying means for classifying the plurality of first-class records by the first simple codes corresponding to the values set by the first evaluation item listing setting means on the basis of the values of the first specific items of the first-class records;  
second classifying means for classifying the plurality of first-class records by the second simple codes corresponding to the values set by the second evaluation item listing setting means on the basis of the values of the second specific items of the first-class records;  
rearrangement means for rearranging the plurality of first-class records while giving priority to the first simple codes given by the first-classifying means and rearranging the plurality of first-class records by the second simple codes given by the second classifying means;  
a map sheet different from the basic data sheet;  
second simple code parallel arrangement means for arranging the second simple codes listed by the second evaluation item listing setting means on the map sheet in an order of a list on the right side in the horizontal direction

in such a state that an interval is opened in a vertical column on at least the left side;  
 specific item mapping means for acquiring display specific items, the first simple codes, and the second simple codes from the plurality of first-class records in the order of the first-class records rearranged by the first simple codes, determining vertical direction positions on the map sheet means by the first simple codes and horizontal direction positions on the map sheet by the second simple codes, arranging the display specific items at cell positions where the vertical direction positions and the horizontal direction positions cross, and arranging the first simple codes on the left column opened by the second simple code parallel arrangement means; and  
 output means for displaying or printing a matrix-like map sheet formed by the specific item mapping means or performing file outputting.

11. A data map forming system according to claim 10, wherein

at least of the first and the second evaluation item listing means equally divides a value between the maximum value and the minimum value of numeral values corresponding to specific items, which can be treated as numeral values, of the first-class records in a predetermined range and lists equally divided values.

12. A data map forming system according to claim 10, wherein

at least one of the first and the second evaluation item listing means totalizes frequencies of the specific items of the plurality of first-class records on the basic data sheet, rearranges the values in the order of frequency, and lists the values.

13. A data map forming system according to claim 10, comprising:

first evaluation item selection means for acquiring a plurality of list items set by the first evaluation item listing setting means to make it possible to select one of the list items;  
 second evaluation item selection means for acquiring a plurality of list items set by a second evaluation item listing setting means to make it possible to select one of the list items; and  
 on-map moving means for moving a display position to a crossing point between the first/second items on a map sheet by the first evaluation item selection means or the second evaluation item selection means on the basis of the selected item.

14. A data map forming system according to claim 10,

wherein

the display specific items of the first-class records arranged on the map sheet include a first-class identification code which can be easily or generally understood by a reader or an operator on at least the basic data sheet; and comprising:

acquiring means for acquiring an item of the first-class identification code from the display specific items;

conversion means for converting the acquired item of the first-class identification code into a second-class identification code different from the first-class identification code; and

display means for acquiring first specific item information of a second-class record identified by the second-class identification code obtained by the conversion means from a data server in which a plurality of second-class records including items corresponding to the items of the first-class identification codes and a plurality of items related to the items of the first-class identification codes are stored such that second-class identification codes are given to the second-class records, and displaying the specific item information.

15. A data map forming system according to claim 14, wherein

the display means comprises:

a first evaluation item selection unit for acquiring a plurality of list items set by the first evaluation item listing setting means to make it possible to select one of the list items;

a second evaluation item selection unit for acquiring a plurality of list items set by the second evaluation item listing setting means to make it possible to select one of the list items;

an on-map moving selection unit for moving a display position to a crossing point between the first and second items on a map sheet by the first evaluation item selection unit or the second evaluation item selection unit on the basis of the selected item; and

an item acquiring unit for acquiring an item of the first-class identification code from the display specific items at the position selected by the on-map moving selection unit.

16. A data map forming system according to claim 10, wherein

the second simple code parallel arrangement means comprises a second display conversion unit for displaying a value corresponding to the second simple code set by the second evaluation item listing setting means, and

the specific item mapping means comprises a first display conversion unit for displaying a value set by the first evaluation item listing setting means corresponding to the first simple codes arranged on a left column on the map sheet.

**17. A data map forming method comprising:**

extracting a plurality of values of predetermined references related to a plurality of first-class records on a basic data sheet in which a plurality of first-class records including a plurality of different items can be stored in a list state to list the values as first simple codes in a predetermined arrangement order; 5

extracting a plurality of values of predetermined references having a viewpoint different from the viewpoint of the first simple codes to list the values as second simple codes in a predetermined arrangement order; 10

classifying the first-class records by the first simple codes corresponding to the values on the basis of numeral values of the plurality of first-class records on the basic data sheet or first specific items constituted by character strings; 15

classifying the first-class records by second simple codes corresponding to the values on the basis of values of second specific items of the plurality of first-class records on the basic data sheet; 20

rearranging the plurality of first-class records on the basic data sheet by the predetermined references while giving priority to the first simple codes and rearranging the second simple codes; 25

arranging the second simple codes on a map sheet in an order of a list on the right side in the horizontal direction in such a state that an interval is opened in a vertical column on at least the left side; 30

sequentially acquiring the specific items of the first-class records, the first simple codes, and the second simple codes in the order of the first-class records rearranged by the first simple codes; 35

determining vertical direction positions on the map sheet by the first simple codes and horizontal direction positions on the map sheet by the second simple codes in the acquisition order; 40

arranging the specific items at positions where the vertical direction positions and the horizontal direction positions cross, and arranging the first simple codes on the left column opened by second simple code parallel arrangement means; and 45

forming a matrix-like map sheet. 50

**18. A data display method comprising:**

acquiring, from a basic data sheet which can store a plurality of first-class records including, as items, at least one first-class identification code which can be easily or generally understood by a reader or an operator in a list state, items of the first-class identification code; 5

converting the acquired first-class identification code into a second-class identification code different from the first-class identification code; and

acquiring, from a data server in which a plurality of second-class records including items corresponding to the items of the first-class identification code and a plurality of items related to the items such that the second-class identification code is given to the second-class records, first specific item information of the second-class records identified by the second identification code obtained by the conversion means; 10

and

displaying the specific item information. 15



FIG. 1




FIG.2




FIG.3




FIG. 4




FIG.5




FIG.6

		A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
4	SETTING OF EVALUATION AXIS OR THE LIKE	THEME NAME : FOR DEMONSTRATION															
6		RETURN TO MENU															
7		601															
8		606															
9		607															
10		608															
11		609															
12		1980															
13		1988															
14		10															
15		19															
16		602															
17		603															
18		604															
19		605															
20		606															
21		607															
22		608															
23		609															
24		1980															
25		1988															
26		10															
27		19															
28		602															
29		603															
30		604															
31		605															
32		606															
33		607															
34		608															
35		609															
36		1980															
37		1988															
38		10															
39		19															
40		602															
41		603															
42		604															
43		605															
44		606															
45		607															
46		608															
47		609															
48		1980															
49		1988															
50		10															
51		19															
52		602															
53		603															
54		604															
55		605															
56		606															
57		607															
58		608															
59		609															
60		1980															
61		1988															
62		10															
63		19															
64		602															
65		603															
66		604															
67		605															
68		606															
69		607															
70		608															
71		609															
72		1980															
73		1988															
74		10															
75		19															
76		602															
77		603															
78		604															
79		605															
80		606															
81		607															
82		608															
83		609															
84		1980															
85		1988															
86		10															
87		19															
88		602															
89		603															
90		604															
91		605															
92		606															
93		607															
94		608															
95		609															
96		1980															
97		1988															
98		10															
99		19															
100		602															
101		603															
102		604															
103		605															
104		606															
105		607															
106		608															
107		609															
108		1980															
109		1988															
110		10															
111		19															
112		602															
113		603															
114		604															
115		605															
116		606															
117		607															
118		608															
119		609															
120		1980															
121		1988															
122		10															
123		19															
124		602															
125		603															
126		604															
127		605															
128		606															
129		607															
130		608															
131		609															
132		1980															
133		1988															
134		10															
135		19															
136		602															
137		603															
138		604															
139		605															
140		606															
141		607															
142		608															
143		609															
144		1980															
145		1988															
146		10															
147		19															
148		602															
149		603															
150		604															
151		605															
152		606															
153		607															
154		608															
155		609															
156		1980															
157		1988															
158		10															
159		19															
160		602															
161		603															
162		604															
163		605															
164		606															
165		607															
166		608															
167		609															
168		1980															
169		1988															
170		10															
171		19															
172		602															
173		603															
174		604															
175		605															
176		606															
177		607															
178		608															
179		609															
180		1980															
181		1988															
182		10															
183		19															
184		602															
185		603															
186		604															
187		605															
188		606															
189		607															
190		608															
191		609															
192		1980															
193		1988															
194		10															
195		19															
196		602															
197		603															
198		604															
199		605															
200		606															
201		607															
202		608															
203		609															
204		1980															
205		1988															
206		10															
207		19															
208		602															
209		603															
210		604															
211		605															
212		606															
213		607															
214		608															
215		609															
216		1980															
217		1988															
218		10															
219		19															
220		602															
221		603															
222		604															
223		605															
224		606															
225		607															
226		608															
227		609															
228		1980															
229		1988															
230		10															
231		19															
232		602															
233		603															
234		604															
235		605															
236		606															
237		607															
238		608															
239		609															
240		1980															
241		1988															
242		10															
243		19															
244		602															
245		603															
246		604															
247		605															
248		606															
249		607															
250		608															
251		609															
252		1980															
253		1988															
254		10															
255		19															
256		602															
257		603															
258		604															
259		605															
260		606															
261		607															
262		608															
263		609															
264		1980															
265		1988															
266		10															
267		19															
268		602															
269		603															
270		604															
271		605															
272		606															
273		607															
274		608															
275		609															
276		1980															
277		1988															
278		10															
279		19															
280		602															
281		603															
282		604															
283		605															
284		606															
285		607															
286		608															
287		609															
288		1980															
289		1988															
290		10															
291		19															
292		602															
293		603															
294		604															
295		605															
296		606															
297		607															
298		608															
299		609															
300		1980															
301		1988															
302		10															
303		19															
304		602															
305		603															
306		604															
307		605															
308		606															
309		607															
310		608															
311		609															
312		1980															
313		1988															
314		10															
315		19															
316		602															
317		603															
318		604															
319		605															
320		606															
321		607															
322		608															
323		609															
324		1980															
325		1988															
326		10															
327		19															
328		602															
329		603															
330		604															
331		605															
332		606															
333		607															
334		608															
335		609															
336		1980															
337		1988															
338		10															
339		19															
340		602															
341		603															
342		604															
343		605															
344		606															
345		607															
346		608															
347		609															
348		1980															
349		1988															
350		10															
351		19															
352		602															
353		603															
354		604															
355		605															
356		606															
357		607															
358		608															
359		609															
360		1980															
361		1988															
362		10															
363		19															
364		602															

FIG. 7

701

JAPANESE UTILITY MODEL APPLICATION NO. S57-084161									
A	B	C	D	E	F	G	H		
5	INPUT OF EVALUATION VALUE/CONTENT DISPLAY		AUTOMATIC INPUT OF FILING YEAR, APPLICANT, AND CLASSIFICATION CODE		RETURN TO MENU				
6	(MAP IS FORMED BY DATA OF THE SHEET)		↑ PLEASE CLICK WHEN DATA IS CORRECTED OR DELETED						
7	DATA SHEET								
8									
9	THEME NAME : [FOR DEMONSTRATION]		702 THE NUMBER OF DATA NUMBER OF PREVIOUS END						
10	LAID-OPEN NUMBER	NAME	CLASSIFICATION	APPLICANT	PATENT (PUBLIC APPLICATION NO.)	LAID-OPEN NO.	FILING DATE		
11	NO. S57-084161	PARKING BR. B60T 7/	○○	MOTOR NO. S61-022054	NO. S55-162073	1982/5/24	1980/11/14		
12	NO. H01-117957	AIRBAG DEV B60R 21/	×	MOTOR NO. H07-040435	NO. S63-13024	1989/8/9	1988/2/4		
13	NO. H01-144112	SIDE SAFETY B60J 5/	×	MOTOR NO. H05-000410	NO. S63-31135	1989/10/3	198/3/8		
14									
15									
16									
17									
18									
19									
20									
21									
30									
31									
32									
33									
34									
35									
36									
37	NO. H05-301552	SAFETY DEV B60R 21/	×	MOTOR		NO. H4-107484	1989/11/18	1992/4/27	
38	NO. H05-305842	DOOR ARMJ B60N 3/	×	MOTOR		NO. H4-11152	1989/11/19	1992/4/30	
<div> <div>DATE</div> <div>DATA</div> <div>MAP</div> <div>CLASSIFICATION</div> <div>AR - APPLICANT</div> <div>CLASSIFICATION</div> <div>ABLE</div> <div>ICS</div> </div>									





FIG.9

901		906		907		908		909		911		915	
AT PREVIOUS END		JAPANESE EXAMINED UTILITY MODEL PUBLICATION NO. H07-040435		DEGREE OF IMPORTANCE		RETURN		A		END			
902		NO IN-OFFICE DATA		APPLICANT		X X X		MOTER		BODY		916	
903		TO PUBLICATION DATA		X AXIS		Y AXIS		PERFORMANCE		914		917	
904		DATA DELETION		1		THE NUMBER OF DATA		910		NEXT		918	
905		ABSTRACT → ALL DOCUMENT DISPLAY		FEATURED POINTS		ARMREST		913		EMPLOYMENT STATE		JPO-IPDL	
										912		US.PTO	
										REGISTERED		EPO	
										EMPLOYMENT I		< UPDATE >	
										BACK		PROCEED	

919			
PREVIOUS ABSTRACT	NEXT ABSTRACT	ALL DOCUMENT	RTF DOWNLOAD '97 NOTE
WHAT IS CLAIMED IS JAPANESE EXAMINED UTILITY MODEL PUBLICATION NO. H07-040435			
H7<1995> 9/20 JAPANESE UTILITY MODEL APPLICATION NO. S63-13024 THREE ITEM			

AIRBAG  
DETAILED DESCRIPTION

FIG.10

10A

B				C	D	E	F
6	MAP FORMATION/UPDATING	MAP CLEAR	RETURN TO MENU				
7	× × × MOTER	ABSCISSA	B60R 21/ ▾ ORDINATE				
8	APPLICANT - CLASSIFICATION MAP						
9							
10	10B	CONTENT DISPLAY	10C	× × × MOTERS	○○○ MOTERS	△△△ MOTERS	◇◇◇ MOTERS
11	10D			× × × JAPANESE EXAMINED UTILITY MODEL PUBLICATION NO. H07-040435 AIRBAG 1988/02/04 ARMREST REGISTERED EMPLOYMENT IS PLANNED IN NEXT PERIOD			
12							
13							
14							
15							
16							
XY LIST/DATA				CLASSIFICATION/ING/IFICATION			

FIG.11

	A	B	C	D	E	F	G	H	I	J
1	THE NUMBER OF DATA : NAME									
2	CLASSIFICATION			RETURN TO MENU	IPC	CONTENTS				
3	B60R 21/	13			A01B	AGRICULTURAL MACHINERY				
4	B60I 5/	10			A01D	LAWN MOWER				
5					A01G	GARDENING, FORESTRY				
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20	CO8L 55/									
21	B62D 25/									
22										
23										
24										
25										
26										

11A

11B

← UNREGISTERED IN "CLASSIFICATION" SHEET

B60R 21/

B60I 5/

B60N 3/

B60R 7/

B60R 13/

B60T 7/

B62B 13/

B60R 16/

E04H 6/

E05B 65/

OTHERS

XY LIST DATA NEW DATA XY MAP FILING YEAR CLASSIFICATION



FIG.13

13G

× × × MOTOR  
JAPANESE EXAMINED UTILITY MODEL PUBLICATION  
NO. 07-040435  
AIRBAG DEVICE FOR VEHICLE 1988/02/04  
THIN PORTION A TORN BY AIRBAG EXPANSION  
LOAD IN ARMREST REGISTERED  
EMPLOYMENT IS PLANNED IN NEXT PERIOD

X AXIS

Y AXIS

× × × MOTOR

B60R 21/

13C

ABSTRACT → ALL DOCUMENT DISPLAY 13A

THE NUMBER OF DATA

1

13B

RETURN

END

UPDATE SCREEN

13E

13F

13D

AIRBAG  
DETAILED DESCRIPTION

FIG.14

	A	B	C	D	E
1	THEME NAME : FOR DEMONSTRATION	RETURN TO MENU			
2	STATISTICS				
4					
10	THE NUMBER OF DATA : NAME				
11	APPLICANT	TOTAL			
12	××× MOTER	6			
13	□□□ KOGYO	6			
14	◇◇◇ CORPORATION	4			
15		-			
16		-			
17		-			
18		-			
19		-			
20		-			
21		-			
22		-			
23		-			
24		-			
25		-			
26		-			
27		-			
28		-			
29		-			
30		-			
31		-			
32		-			
33		-			
34	▽▽▽ LIGHT-METAL	-			
35	☆☆☆ AUTOMOTIVE ENGINEERING	-			
36	TOTAL	44			
37					
38					
	FILED YEAR - CLASSIFICATION/ATION/ING/				

FIG.15

AT PREVIOUS END

NO IN-OFFICE DATA

NOT FILED

DATA DELETION

ABSTRACT → ALL DOCUMENT DISPLAY

JAPANESE EXAMINED UTILITY MODEL PUBLICATION NO. H10-329584

APPLICANT: ○○○ MOTOR

DEGREE OF IMPORTANCE

REQUEST FOR EXAMINATION

EMPLOYMENT STATE

END

JPO-IPDL

US-PTO

EPO

UPDATE

BACK

PROCEED

THE NUMBER OF DATA

25

X AXIS

Y AXIS

CONTROL

ENGINE

RETURN

NEXT

FEATURED POINTS

PREVIOUS ABSTRACT

NEXT ABSTRACT

ALL DOCUMENT

RTF DOWNLOAD

RTF DOWNLOAD '97

ALL DRAWINGS

NOTE

BIBLIOGRAPHICAL ITEM

IPC ABSTRACT

CLAIMS

DETAILED DESCRIPTION

INDUSTRIAL APPLICABILITY

PRIOR ART

(19) [ISSUED COUNTRY] JAPANESE PATENT OFFICE (JP)

(12) [CLASSIFICATION OF PUBLICATION]

PATENT LAID-OPEN PUBLICATION (A)

(11) [LAID-OPEN NUMBER]

JAPANESE PATENT APPLICATION LAID-OPEN NO. H10-329584

(43) [LAID-OPEN DATE] 15 DECEMBER, 1998

(54) [TITLE OF THE INVENTION]

CONTROL DEVICE FOR VEHICLE WITH TRANSMISSION

15B

15A

919

FIG.16

AT PREVIOUS END

NO IN-OFFICE DATA

NOT FILED

DATA DELETION

JAPANESE EXAMINED UTILITY MODEL PUBLICATION NO. H10-329584

APPLICANT

X AXIS

Y AXIS

25

OOO

CONTROL

ENGINE

RETURN

NEXT

DEGREE OF IMPORTANCE

REQUEST FOR EXAMINATION

EMPLOYMENT STATE

AT

>

JPO-IPDL

US.PTO

EPO

THE NUMBER OF DATA

FEATURED POINTS

<

>

UPDATE

BACK

PROCEED

ABSTRACT → ALL DOCUMENT DISPLAY

<

>

WHAT IS CLAIMED IS:

BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION

(0001) DESCRIPTION OF THE RELATED ART

(0002) PRIOR ART

(0003)

FIG.1

FIG.2

<

>

SB

SB

919